


PROPRIETARY  
 THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION  
 PROPRIETARY TO GWM INC. IT MUST NOT BE  
 REPRODUCED OR DISCLOSED TO OTHERS OR USED IN ANY  
 OTHER WAY, IN WHOLE OR IN PART EXCEPT AS AUTHORIZED  
 IN WRITING BY GWM INC.

REVISIONS				
REV	DESCRIPTION	DRAFT	DATE	APPROVED
A	RELEASE			



**Specifications:**

- 1) Parts to be magnetized in the orientation shown
- 2) Material: SmCo 24- Grade XYG26
- 3) Residual, B : 1000mT
- 4) Coercive, H: 716 KA/m
- 5) Intrinsic Coercive, H: 1432 KA/m
- 6) Maximum Energy Product: 191 KJ/m3

**Source: Adams Engineered Products**  
 413 E Dixie Hwy  
 Elizabethtown, KY 42701  
 Part Number: 55B0081

ITEM	QTY	PART NUMBER	DESCRIPTION	NOTE
PARTS LIST				
DRAWN <b>KLL</b>		DATE <b>8/15/03</b>	DO NOT SCALE FROM DRAWING DIMENSIONS & TOLERANCES (UNLESS OTHERWISE SPECIFIED)	
CHECK		DATE		
ENGINEERING <b>KLL</b>		DATE <b>8/15/03</b>		
		LINEAR	INCHES	mm
		X.XX	±.005	±0.03
		X.X	±.07	±0.1
		X	±.05	±0.3
		DEG.	±.08	±1
		FINISH	±.5	±0.5
		THIRD ANGLE PROJECTION	63	1.6
NEXT ASSY		SYSTEM		
SOFTWARE AUTOCAD 13				
TITLE <b>GWM</b> P.O. Box 2578, Redwood City, CA 94064 Tel: (650)802-8292. Fax: (650)802-8298.		SIZE <b>A3</b>	DRAWING NO.	REV <b>A</b>
Magnet, SmCo 24 <b>0.15" d x 0.15"</b>		SCALE	WT kg	SHEET 1 OF 1