




DCN NUMBER
702
761



STRIP CABLE INSULATION BACK BY 6.5mm
 STRIP & TIN ALL WIRES BY 2.5mm
 TWIST & PIGTAIL THE SCREEN TO SAME LENGTH AS OTHER WIRES

WIRING SCHEDULE

FISCHER PLUG PIN No.	4-WAY CABLE IDENTITY	9-WAY CONNECTOR PIN No.	FUNCTION
2	BLUE	2	MS2 Tx
3	RED	3	MS2 Rx
1	SCREEN	5	COMMON 0v
		LINK 7 & 8	7: RTS 8: CTS
		LINK 4 & 6	4: DTR 6: DSR



Bartington
Instruments

COPYRIGHT: THIS DRAWING AND THE INFORMATION CONTAINED THEREIN IS CONFIDENTIAL AND MUST NOT BE REPRODUCED, COPIED OR USED FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR PERMISSION OF BARTINGTON INSTRUMENTS LTD.

THIRD ANGLE PROJECTION	
UNTOLERANCED:	
DIMENSIONS	±5.0
ANGLES	±0.5
MATERIAL	PL1615

DIMENSIONS IN mm	DO NOT SCALE
ORIGINAL SCALE	NTS
SURFACE TEXTURE	µm
PROTECTIVE FINISH:	

CHECKED
Roy Mumby

DRAWN
Daniel Cetnik

CONFIDENTIALITY	
TITLE	MS2 RS232 Cable

USED ON	PM0408	PROJECT No	D595 (c/T)
DATE DRAWN	11/07/2011		
DATE MODIFIED	XX/XX/XXXX		
DRAWING No	DR1615	ISSUE	5
SEE DCN NUMBER FOR DESIGN CHANGE HISTORY			