

OVERVIEW

The **3473 Dipole Electromagnet** accepts a range of pole caps with face diameters up to 150mm. The model 3473-50 is fitted with a 50Amp coil pair and has a coil gap of 127mm. The model 3473-70 is fitted with a 70Amp coil pair with enhanced cooling and has a coil gap of 96mm. The 3473-70 is recommended when high fields are required at large pole gaps or to achieve maximum field stability for spectroscopic or similar applications.

3473 Electromagnet

Features

- Modest Size
- 50 or 70Amp Versions
- Adjustable Pole Gap
- Wide Variety of Pole Caps
- Air or Water Cooled
- Any Mounting Orientation

Applications

- Hall Effect Studies
- Magneto-Optical Studies
- Laboratory Experiments
- Magnetic Separation Experiments
- Magnetic Alignment of Small Components
- Chemical Reaction Rate Studies

GMWAssociates



www.gmw.com



✓ sales@gmw.com



+1-650-802-8292

955 Industrial Road San Carlos, California, USA

Model 3473 General Specifications

Mechanical

	3473-50	3473-70
Pole Diameter	1	50mm
Standard Pole Caps	25, 50, 75, 100 & 150mm	
Pole Gap	0 to 127mm	0 to 100mm
Dimensions (mm)	686mm W x 405mm D x 570mm H	
Weight	600kg	610kg

Coils (series connected)


Resistance (20°C)	0.72Ω	
Max Resistance	0.87Ω	
Low Current Inductance	0.8H	
High Current Inductance	0.54H	
Max Continuous Power (air)	20Amps, 17Volts (0.5kW)	
Max Continuous Power (water)	50Amps, 44Volts (2.2kW)	70Amps, 59Volts (4.1kW)
Water Cooling	3liters/min, 0.8bar (0.8US GPM, 12psid)	6liters/min, 2.0bar (1.6US GPM, 30psid)

Safety


Overtemperature Interlock	Selco 802L-065 thermostat, mounted onto each		
	cooling plate, wired in series.	Contacts below 65°C	
Water Flow	Imo/Gems FS927 flow switch mounted on outlet side of		
	water circuit. Contacts open with a flow of less than:		
	1.50GPM or 5.68liters/min		
Maximum Absolute Pressure:	10bar (150psid)		
	()	- 1 /	
	2.5liters/min	4.0liters/min	
Diameter Sphere Containing 5G-surface ("fringe field")	900mm		



General Assembly - 3473-50



General Assembly - 3473-70





Perfomance
Fields at maximum current of 70 Amps

